

UNITED PLATINUM EURO

Product Description

Ultra High Performance Diesel (UHPD) low ash lubricant tailored to meet latest ACEA E8 and E11 for selected viscosity grades. It is formulated with high quality synthetic base fluids paired with an advanced technology core additive package. The oil delivers top-tier engine protection and improves engine performances through oxidation stability, shear stability and deposit control.

The product provides high temperature protection in all grades, dramatically reducing carbon deposit formation and effectively neutralising harmful acids. This results in oil consumption reduction and helps to meet maximum Oil Drain Intervals (ODI) with ease.

The oil assists in meeting Euro V and Euro VI emission requirements and is suitable for use with NOx reduction systems and particulate filters as well as being designed for use in combination with low sulfur diesel fuel (maximum 50 ppm).

Applications / Benefits

- * Enhances piston cleanliness
- * Satisfies wide variety of OEM demands
- * Provides superb performance even with extended drain interval
- * Suits Euro V and VI emission requirements

Typical Characteristics

Test Description	Method	Unit	5W30	5W40	10W40
SAE Viscosity Grade	SAE J 300	-	5W30	5W40	10W40
Density @ 15 °C	ASTM D 4052	kg/L	0.868	0.859	0.867
Flash Point	ASTM D 92	°C	218	220	228
Pour Point	ASTM D 97	°C	-39	-39	-36
Kinematic Viscosity @ 40°C	ASTM D 445	cSt	64.1	93.7	95.8
Kinematic Viscosity @ 100°C	ASTM D 445	cSt	10.9	15.0	14.5
Viscosity Index	ASTM D 2270	-	160	170	157
TBN	ASTM D 2896	mgKOH/g	9.5	9.5	9.5
CCS	ASTM D 5293	cP	≤6600	≤6600	≤7000

Specifications, Approvals & Recommendations

	5W30
* API	CK-4
* ACEA	E7
* ACEA	E8
* ACEA	E11
* CUMMINS	CES 20086
* DETROIT DIESEL	DDC 93K222
* JASO	DH-2
* MACK	EOS-4.5
* MAN	M3677
* MERCEDES BENZ	MB 228.5
* MERCEDES BENZ	MB 228.51
* RENAULT	RLD-4
* SCANIA	LDF-4
* VOLVO	VDS-4.5

Suggested for the following Uses

	5W40	10W40
* API	CK-4	CK-4
* ACEA	E7	E7
* ACEA	E8	E8
* ACEA	E11	E11
* CUMMINS	-	CES 20086
* DETROIT DIESEL	-	DDC 93K222
* JASO	-	DH-2
* MACK	-	EOS-4.5
* MAN	-	M3477
* MERCEDES BENZ	-	MB 228.5
* MERCEDES BENZ	-	MB 228.51
* RENAULT	-	RLD-4
* VOLVO	-	VDS-4.5

Reference No.
4144G3CK4E8E11REV4

Last revised date:
8/5/2025