United Oil
PERFORMANCE • VALUE • RELIABILITY

A member of Repsol Group
REPSOL

UNITED DCTF PRO LV

Product Description

Fully Synthetic Low-Viscosity Dual Clutch Transmission Fluid (DCTF) specifically engineered for modern conventional and selected Dual Clutch Transmissions (DCTs). Its low-viscosity formulation is designed to reduce internal fluid resistance and improve fluid circulation, contributing to transmission efficiency, fuel economy, hydraulic response, and reduced power losses, while maintaining excellent clutch friction control and component protection.

Formulated with carefully selected premium synthetic base stocks and advanced additive technology, the product provides excellent heat-transfer performance, material compatibility, anti-copper corrosion protection, and e-motor compatibility, making it suitable for modern DCT systems.

This product is suitable for use in Volkswagen/Audi, Ford, Mitsubishi 6-speed wet Dual Clutch Transmissions and 7-speed wet Dual Clutch Transmissions from BMW, VW, Audi and Geely.

Applications / Benefits

* Helps provide smooth, shudder-free shifting
* Suitable for modern vehicles and hybrid DCTs
* Outstanding friction performance
* Contribute to improved transmission efficiency

Typical Characteristics

Test Description	Method	Unit	
Density @ 15 °C	ASTM D 4052	kg/L	0.844
Flash Point	ASTM D 92	°C	195
Pour Point	ASTM D 97	°C	-45
Kinematic Viscosity @ 40°C	ASTM D 445	cSt	23.9
Kinematic Viscosity @ 100°C	ASTM D 445	cSt	5.6
Viscosity Index	ASTM D 2270	-	187

ISSUED BY UNITED OIL COMPANY PTE. LTD. TEL: (65) 6861 1157 FAX: (65) 6861 3101

Furnishing the information contained herein does not constitute a representation by United that any product or process is free from patent infringement claims of any third party nor does it constitute the granting of a license under any patent of United or any third party. United assumes no liability for any infringement which might arise out of product. The information and suggestions for use and application presented herein represent the best information available to us and believed to be reliable. They should not, however, be construed as controlling suggestions, and users urged to conduct confirmatory test to determine final suitability for their specific end uses. United warranty only that its product meet the specifications which it sets for them and specifically DISCLAIMS ALL OTHER WARRANTS relating to the products and the application thereof. EXPRESS or IMPLIED including but not limited to warrants of MERCHANTABILITY and FITNESS.

United Oil
PERFORMANCE • VALUE • RELIABILITY

A member of Repsol Group
REPSOL

Suggested For The Following Uses

* BMW	BMW 83222433157/ DCTF-2
* BYD	6DT35
* BYD	DCTs
* BYD	Q/BYD-A1909.0058-2013
* CASTROL	BOT 341
* CASTROL	BOT 351 FE PLUS
* CASTROL	BOT 351 C4
* CASTROL	BOT 351 LV
* CHERY (JETOUR)	9009011085
* CHERY	DCTS
* CHERY	738DHA
* CHERY	7DCT380
* CHERY (CHERY & OMODA)	730DHB
* CHERY (CHERY & OMODA)	DHC 7DCT300
* CHERY (CHERY & OMODA)	9009011085 (DCTF-7S)
* DONGFENG	GETRAG DCTF-RFL-3
* DONGFENG	GETRAG OIL0017
* FIAT	9.55550-HE2
* FIAT	9.55550-HE3
* FORD	FORD WSS-M2C218-A1 (FORD F-DC)/ KU7J M2C218AA
* FORD	FORD WSS-M2C218-A2
* GEELY	7 SPEED
* GEELY	DCT 10
* GREAT WALL	DCT
* GREAT WALL	GW7DCT1
* GREAT WALL	DCT 11
* GREAT WALL	GWM 7DCT450
* GSMC	7WF35
* HYUNDAI/KIA	04300-2N100, 00232-19100 WDCTF HD G GEAR OIL
* HYUNDAI/KIA	04300-2N110 WDHO-1, 00232-19101 WDCTF HD H CONTROL
* KUNLUN	DCTF-7S
* MAGNA/GETRAG	DCTs
* MERCEDES BENZ	MB 236.22
* MERCEDES BENZ	MB 239.21
* MERCEDES BENZ	MB 239.22
* MITSUBISHI	MITSUBISHI TC-SST 6-SPEED (GFT)
* NISSAN	KLE26-00003
* PROTON	X50, 7 SPEED DCT
* PROTON	X70, 7 SPEED DCT
* RENAULT	7711945721
* RENAULT	7711945827
* RENAULT	7711785243

Furnishing the information contained herein does not constitute a representation by United that any product or process is free from patent infringement claims of any third party nor does it constitute the granting of a license under any patent of United or any third party. United assumes no liability for any infringement which might arise out of product. The information and suggestions for use and application presented herein represent the best information available to us and believed to be reliable. They should not, however, be construed as controlling suggestions, and users urged to conduct confirmatory test to determine final suitability for their specific end uses. United warranty only that its product meet the specifications which it sets for them and specifically DISCLAIMS ALL OTHER WARRANTS relating to the products and the application thereof. EXPRESS or IMPLIED including but not limited to warrants of MERCHANTABILITY and FITNESS.

United Oil
PERFORMANCE • VALUE • RELIABILITY

A member of Repsol Group
REPSOL

Suggested For The Following Uses

*	RENAULT	DW5
*	RENAULT-NISSAN MITSUBISHI	GETRAG DCTF-RFL-3
*	RENAULT-NISSAN MITSUBISHI	GETRAG OIL0017
*	SAIC-GM/ STELLANTIS	GETRAG DCTF-RFL-3
*	SAIC-GM/ STELLANTIS	GETRAG OIL0017
*	SINOPEC	DCTFGS
*	SMART	TWINAMIC
*	STELLANTIS	1693483780
*	VOLKSWAGEN/AUDI	G 052 529 A2 OR A6 (FLUID)/DSG7 = S-TRONIC 7
*	VOLKSWAGEN/AUDI	G 055 529 (TL 052 529)
*	VOLKSWAGEN/AUDI	G 055 529 A2 (TL 52529-C)
*	VOLKSWAGEN/AUDI	55524
*	VOLKSWAGEN/AUDI	GOLF GTE DQ400E
*	VOLVO	7DCTH
*	VOLVO	D1
*	VOLVO	D2
*	LYNK & CO.	01 (PLUG-IN HYBRID AND HYBRID ELECTRIC SUV)

Reference No.
4803G3DCTLVREV0

Last revised date:
28-Oct-2026

ISSUED BY UNITED OIL COMPANY PTE. LTD. TEL: (65) 6861 1157 FAX: (65) 6861 3101
www.united-oil.com
Furnishing the information contained herein does not constitute a representation by United that any product or process is free from patent infringement claims of any third party nor does it constitute the granting of a license under any patent of United or any third party. United assumes no liability for any infringement which might arise out of product. The information and suggestions for use and application presented herein represent the best information available to us and believed to be reliable. They should not, however, be construed as controlling suggestions, and users urged to conduct confirmatory test to determine final suitability for their specific end uses. United warranty only that its product meet the specifications which it sets for them and specifically DISCLAIMS ALL OTHER WARRANTS relating to the products and the application thereof. EXPRESS or IMPLIED including but not limited to warrants of MERCHANTABILITY and FITNESS.